



# **Food Sources of Soluble Fibre**

Dietary fibre comes from plant foods. There are two types: soluble and insoluble fibre. Most fibre containing foods have a mix of both.

- **Insoluble fibre** is found in the skins of vegetables and fruit and the bran portion of whole grains. Insoluble fibre helps promote regularity and a healthy digestive system.
- **Soluble fibre** can be found in some vegetables, fruit, grains and legumes such as dried beans and peas. When water is added to a food the soluble fibre thickens and becomes sticky, gummy and gel like. Soluble fibre can help slow the digestion of food.

# Soluble fibre helps to:

- Lower blood cholesterol levels. Aim for at least 10 grams of soluble fibre every day.
- Control blood glucose (sugar) levels. This is helpful if you have diabetes or if you sometimes get a low blood sugar (hypoglycaemia)
- Manage diarrhea and loose stools
- Reduce some of the symptoms of Irritable Bowel Syndrome
- Reduce the risk of getting intestinal ulcers
- Have a healthier colon by increasing the amount of healthy bacteria

## How much soluble fibre should I aim for?

There are no guidelines on how much soluble fibre you should have for a healthy diet. Instead, recommendations are for total dietary fibre which includes a mixture of both soluble and insoluble fibre. Men and women over the age of 18 should aim for at least 21-38 grams of total dietary fibre each day. For more information about how much dietary fibre you should get in your diet, see the Additional Resource section.

© 2012 Dietitians of Canada. All rights reserved. May be reproduced in its entirety provided source is acknowledged.

This information is not meant to replace advice from your medical doctor or individual counseling with a registered dietitian. It is intended for educational and informational purposes only.





Certain types of foods contain more soluble fibre than insoluble fibre. To help you get more soluble fibre in your diet, choose foods from the table below.

Increase your dietary fibre intake slowly and drink more fluids as your fibre intake increases. This will help the fibre to work better and prevent gas, bloating and diarrhea.

### **Soluble Fibre Content of Some Common Foods**

Dried beans and peas, oat products, psyllium are some of the best sources of soluble fibre. See the list below for the soluble fibre content from a variety of foods.

Food	Serving Size	Soluble fibre (grams)	
Vegetables and Fruit			
Passion Fruit, purple, fresh	125 mL (½ cup)	6.5	
Avocado	1/2 fruit	2.1	
Brussels sprouts, cooked	125 mL (½ cup)	2	
Figs, dried	60 mL (¼ cup)	1.9	
Orange	1 medium	1.8	
Sweet Potato, cooked, skinless	125 mL (½ cup)	1.8	
Asparagus, cooked	125 mL (½ cup)	1.7	

© 2012 Dietitians of Canada. All rights reserved. May be reproduced in its entirety provided source is acknowledged.

This information is not meant to replace advice from your medical doctor or individual counseling with a registered dietitian. It is intended for educational and informational purposes only.





Turnip, cooked	125 mL (½ cup)	1.7
Edamame, (soybean, green, cooked)	125 mL (½ cup)	1.5
Broccoli, cooked	125 mL (½ cup)	1.2-1.5
Pear, with skin	1 medium	1.1-1.5
Apricots, raw, with skin	3	1.4
Nectarine, raw with skin	1 medium	1.4
Eggplant	125 mL (½ cup)	1.3
Collard greens, cooked	125 mL (½ cup)	1.3
Peach, with skin	1 medium	1.0-1.3
Peas, green, cooked	125 mL (½ cup)	0.8-1.3
Carrots, cooked	125 mL (½ cup)	1.1-1.2
Mango	½ fruit	0.7-1.1
Grapefruit	½ fruit	0.7-1.1
Plum, with skin	2 fruits	1.1
Prunes, dried	3	1.1
Apricots, dried	60 mL (¼ cup)	1.1
Guava, raw, ripe	1 fruit	1.1

© 2012 Dietitians of Canada. All rights reserved. May be reproduced in its entirety provided source is acknowledged.

This information is not meant to replace advice from your medical doctor or individual counseling with a registered dietitian. It is intended for educational and informational purposes only.





Potato, white, with skin	1 small	1.1
Apple, red, with skin	1 medium	0.9-1.0
Beans, green, cooked	125 mL (½ cup)	1.0
Apple	1 medium	1.0
Okra, cooked	125 mL (½ cup)	1.0
Beets, skinless	125 mL (½ cup)	0.8
Banana	1 medium	0.7
Grain Products		
Bran Buds with Psyllium	30 g (1/3 cup)	2.7
Bran Buds with Psyllium  Oat bran, cooked	30 g (1/3 cup) 175 mL (¾ cup)	2.7
Oat bran, cooked	175 mL (¾ cup)	2.2
Oat bran, cooked Oat flakes	175 mL (¾ cup) 250 mL (1 cup)	1.5
Oat bran, cooked Oat flakes Oatmeal, cooked	175 mL (¾ cup) 250 mL (1 cup) 175 g (¾ cup)	2.2       1.5       1.4
Oat bran, cooked Oat flakes Oatmeal, cooked Bran cereal (non flake)	175 mL (¾ cup) 250 mL (1 cup) 175 g (¾ cup) 30 g (1/3 cup)	2.2       1.5       1.4       1.4
Oat bran, cooked Oat flakes Oatmeal, cooked Bran cereal (non flake) Oat bran muffin	175 mL (¾ cup) 250 mL (1 cup) 175 g (¾ cup) 30 g (1/3 cup) 1 medium(57 g)	2.2       1.5       1.4       1.4       1.4

© 2012 Dietitians of Canada. All rights reserved. May be reproduced in its entirety provided source is acknowledged.

This information is not meant to replace advice from your medical doctor or individual counseling with a registered dietitian. It is intended for educational and informational purposes only.





Raisin bran muffin	57g (1 medium)	0.8
Barley, pearled, cooked	125 mL (½ cup)	0.8
Bread, whole wheat	30 g (1 slice)	0.5
Brown rice, cooked	125 mL (½ cup)	0.5
Pasta , cooked (whole wheat and white)	125 mL (½ cup)	0.5
Melba toast, whole wheat	6 crackers	0.5
Milk and milk products	This food group contains very little of this nutrient.	
Meat and Alternatives		
Black beans, cooked	175 mL (¾ cup)	5.4
Lima Beans	175 mL (¾ cup)	5.3
Soy nuts, roasted	60 mL (¼ cup)	3.5
Navy beans, cooked	175 mL (¾ cup)	3.3
Pinto beans, cooked	175 mL (¾ cup)	3.2
Kidney beans, cooked	175 mL (¾ cup)	2.6-3.0
Tofu, fried pieces	175 mL (¾ cup)	2.8
Beans canned with pork & tomato sauce	175 mL (¾ cup)	2.6
Chickpeas, cooked	175 mL (¾ cup)	2.1

© 2012 Dietitians of Canada. All rights reserved. May be reproduced in its entirety provided source is acknowledged.

This information is not meant to replace advice from your medical doctor or individual counseling with a registered dietitian. It is intended for educational and informational purposes only.





Soy burger	85 g (1 patty)	2.0
Flax seed, whole	15 ml (1 Tbsp)	0.6-1.2
Hazelnuts, whole	60 mL (¼ cup)	1.1
Sunflower seeds, dry roasted	60 mL (¼ cup)	1.0
Flax seed, milled/ground	15 mL (1 Tbsp)	0.4-0.9
Lentils, cooked	175 mL (¾ cup)	0.8
Supplements		
Psyllium Husks, ground	15 mL (1 Tbsp)	3.5
Metamucil	15 mL (1 Tbsp)	3.4



 Food sources of fibre www.onpen.ca/Docviewer.aspx?id=7474

These resources are provided as sources of additional information believed to be reliable and accurate at the time of publication and should not be considered an endorsement of any information, service, product or company.

© 2012 Dietitians of Canada. All rights reserved. May be reproduced in its entirety provided source is acknowledged.

This information is not meant to replace advice from your medical doctor or individual counseling with a registered dietitian. It is intended for educational and informational purposes only.







#### **Distributed by EatRight Ontario:**

Get answers to your nutrition and healthy eating questions from a place you can trust.

- 1. Call EatRight Ontario. Talk to a Registered Dietitian for FREE 1-877-510-510-2, Monday Friday 9 am to 5 pm ET. Evening hours Tuesday and Thursday to 9 pm ET.
- 2. Email a Dietitian from <a href="www.eatrightontario.ca">www.eatrightontario.ca</a>.
- 3. Visit <u>www.eatrightontario.ca</u>

Dietitians of Canada acknowledges the financial support of EatRight Ontario by the Ontario government. The views expressed do not necessarily reflect those of the Province.